


High Tolerance Rings



Striving for perfection? These tempered steel High Tolerance rings are built to the highest quality and dimensional standards possible. These rings are designed for use in automated assembly equipment such as the automotive and medical industries where concentricity and dimensional demands are critical. If your ring size is not listed and you need it built to these standards, please let us know and we will quote you.



High Tolerance Key Rings

Size	3	3 1/2	4
Outside Diameter	.970 in. 24.64 mm	1.010 in. 25.76 mm	1.100 in. 27.94 mm
Approx. Inside Diameter	.826 in. 20.98 mm	.866 in. 22.00 mm	.956 in. 24.28 mm
Approx. "A" Dimension	.072 in. 1.83 mm	.072 in. 1.83 mm	.072 in. 1.83 mm
At "B" +/- .005in./ .13mm	.105 in. 2.67 mm	.105 in. 2.67 mm	.105 in. 2.67 mm
Wire Diameter	.064	.064	.064
Weight Per Thousand (lbs.)	5 lb. 2.27 kg.	5.25 lb. 2.38 kg.	5.25 lb. 2.38 kg.
Nickel-Plated Steel	90853	90813	90704
Cost Per Thousand	\$54.75	\$56.50	\$58.00

High Tolerance Split Rings

Size	8 Fine	10 1/2 Fine	10 1/2 Ultra Fine
Outside Diameter	.484 in. 12.29 mm	.630 in. 16.00 mm	.630 in. 16.00 mm
Approx. Inside Diameter	.392 in. 9.96 mm	.516 in. 13.11 mm	.482 in. 12.29 mm
Approx. "A" Dimension	.046 in. 1.17 mm	.057 in. 1.45 mm	.051 in. 1.30 mm
At "B" +/- .005in./ .13mm	.068 in. 1.73 mm	.083 in. 2.11 mm	.074 in. 1.88 mm
Wire Diameter	.040	.051	.045
Weight Per Thousand (lbs.)	.97 lb. .440 kg.	2.01 lb. .910 kg.	1.45 lb. .658 kg.
Nickel-Plated Steel	90708	90710	90735
Cost Per Thousand	\$33.50	\$42.00	\$35.25

Packaging: Bulk

Quantity Discounts (per size & finish): 5M-9M less 5%, 10M-24M less 10%, 25M-49M less 15%, 50M-99M less 20%, 100M-499M less 25%, 500M-999M less 30%, 1MM-Over less 35%